


REV.	ECD NO.	REVISIONS	BY	DATE	APVD.
E	2994	E1: ADDED .215 DIA HOLE; WIDTH WAS .75 E2: ADDED VCM-500 AND -2500-XXX-X E3: REVISED NOTE 5 E4: LENGTH TOL. WAS +/--.25 E5: OMITTED -8, VIOLET	RCC	08/09/96	RJB 8/20/96
F	7650	F1: UPDATED P/N SCHEME (WAS VCM-XXX-XXX-X, NOW VCM-XXX-XX-XX); REPLACED ROLLS OF 10 AND 50 WITH ROLL OF 25 F2: UPDATED TO NEW PHONE # & LOGO F3: REMOVED NOTES 2, 3 & 4 (RENUMBERED NOTES)	MJP	03/24/03	JDK 03/25/03
G	1137	G1: ADD NOTES 4, 5, 6; UPDATE MAT'L. NOTE 1	KJC	05/24/06	DRH 06/23/06



RECOMMENDED BUNDLE DIA.	"A" RECOMMENDED LENGTH
2.0 DIA. [50.8]	6.0 [152.4] ±.06 [1.52]
4.0 DIA. [101.6]	12.0 [304.8] ±.06 [1.52]
6.0 DIA. [152.4]	18.0 [457.2] ±.19 [4.83]

(F1) VCM-(XXX)-(XX)-(XX)

(E2) PACKAGING  
25 = ROLL OF 25  
250 = ROLL OF 250

LENGTH OF TIE  
06 = 6" [152.4]  
12 = 12" [304.8]  
18 = 18" [457.2]

COLORS  
01 = BLACK  
02 = WHITE  
03 = RED  
04 = GREY  
05 = YELLOW  
06 = BLUE  
07 = GREEN  
09 = ORANGE (E5)

- (G1) 6. SHEAR STRENGTH: 2.3 P.S.I.  
5. PEEL STRENGTH: 0.5 P.I.W.  
4. OPERATING TEMPERATURE 0° - 220° F.  
3. CONTACT A SIEMON COMPANY CUSTOMER SERVICE REPRESENTATIVE FOR ADDITIONAL INFORMATION.
- (F3) 2. STANDARD PACK VCM-25-XX-XX: 1 ROLL PER POLYBAG, 10 POLYBAGS PER CARTON.  
STANDARD PACK VCM-250-XX-XX: 1 ROLL PER CARTON.  
1. MATERIAL: HOOK: LOW DENSITY POLYETHYLENE  
LOOP: NYLON KNIT

NOTES:

<small>PROPRIETARY INFORMATION</small> THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF THE SIEMON COMPANY AND IS DELIVERED ON THE EXPRESSED CONDITIONS THAT IT IS NOT TO BE DISCLOSED OR REPRODUCED IN WHOLE OR PART, OR USED FOR MANUFACTURING FOR ANYONE OTHER THAN THE SIEMON COMPANY WITHOUT ITS WRITTEN CONSENT AND THAT NO RIGHT IS GRANTED TO DISCLOSE OR SO USE ANY INFORMATION CONTAINED IN SAID DOCUMENT.	<b>THE SIEMON COMPANY</b> 76 WESTBURY PARK ROAD WATERTOWN, CT 06795 (860) 945-4200 www.siemon.com		TITLE <b>ONE PIECE HOOK &amp; LOOP CABLE MANAGER</b>		
	TOLERANCES .00 ± - .000 ± .020 .0000 ± - ANGLES ± -	DRAWN BY <b>CHER</b> CHECKED BY <b>J. SIEMON</b> ENGINEER <b>B. E. REED</b>	DATE 3/27/90 DATE 3/30/90 DATE 3/30/90	DWG. NO. <b>B-9010010</b>	
	ANSI Y14.5M-1982 OR ISO 1101, 129 & 3040 DIMENSIONS IN SQUARE BRACKETS ARE [mm], ALL OTHER DIMENSIONS ARE INCHES. DO NOT SCALE		PART NO. <b>SEE CHART</b>		
	SCALE <b>1 : 1</b>		REV. <b>G</b>		

DWG. NO. **B-9010010**  
 SH **1**  
 REV. **G**