SIEMON™

FiberNOW™

The fiber cabling solutions you need, shipped in 5 days or less



NOW INCLUDING LightVerse®

Available now. Ready to ship.

Hardly what you're used to hearing when it comes to high-performance fiber cabling, right? But that's exactly what the FiberNOW program delivers. Backed by Siemon's innovative manufacturing processes and optimized logistics, FiberNOW delivers the industry's shortest lead times on select fiber cabling and connectivity; with both standard and custom-configured products **shipped in 5 days or less.** Contact your local Siemon representative for more information, or call (1) 860.945.4200.

An example BOM supported by one-week lead time would include up to 25 fiber enclosures, 50 (12 fiber) MTP trunks, 100 (12 fiber) cassettes and 200 jumpers. Lead times on larger orders may be longer.
Terms and conditions apply, program Available in US, Canada & Mexico Only, see below for information.

LightVerse Rack-Mount Fiber Enclosures


Max quantity to ship in 5 days after received order: 25 pieces



Siemon Base Part Number	Size	Description
LVE-1U-MS-C01A	1U	LightVerse Core, Fixed Panel, Supports 4 LV Adapters, Modules & Splice Cassettes, Black Housing
LVE-1U-MD-T01A	1U	Lightverse Plus, Sliding Drawer, Supports 4 LV Adapters, Modules & Splice Cassettes, Black Housing
LVE-1U-MD-P01A	1U	LightVerse Pro, Sliding Drawer, Supports 4 LV Adapters, Modules & Splice Cassettes, Black Housing
LVE-2U-MD-P01A	2U	LightVerse Pro, Sliding Drawer, Supports 8 LV Adapters, Modules & Splice Cassettes, Black Housing
LVE-4U-MD-P01A	4U	LightVerse Pro, Sliding Drawer, Supports 16 LV Adapters, Modules & Splice Cassettes, Black Housing

LightVerse LC Fiber Adapter Plates

Max quantity to ship in 5 days after received order: 150 pieces



Siemon Base Part Number	Fiber Count	Description
LVA12-LCQ-BC-A	12	LightVerse LC, Aqua Adapters, Ceramic Sleeve
LVA12-LCU-BC-A	12	LightVerse LC, Blue Adapters, Ceramic Sleeve
LVA24-LCQ-BC-A	24	LightVerse LC, Aqua Adapters, Ceramic Sleeve
LVA24-LCU-BC-A	24	LightVerse LC, Blue Adapters, Ceramic Sleeve

LightVerse Fiber MTP-to-LC Modules

Max quantity to ship in 5 days after received order: 12F - 100 pieces, 24F - 50 pieces



Siemon Base Part Number	Fiber Count	Description
LVM12TFLSV-BSUA	12	LightVerse Shuttered LC, Aqua, to MTP-F, Aqua, Standard Loss, OM4, Universal Polarity (U1), Base 12
LVM12TFLSV-BLUA	12	LightVerse Shuttered LC, Aqua, to MTP-F, Aqua, Ultra Low Loss, OM4, Universal Polarity (U1), Base 12
LVM12TFLSU-BSUA	12	LightVerse Shuttered LC, Blue, to MTP-F, Black, Standard Loss, SM, Universal Polarity (U1), Base 12
LVM12TFLSU-BLUA	12	LightVerse Shuttered LC, Blue, to MTP-F, Black, Ultra Low Loss, SM, Universal Polarity (U1), Base 12
LVM24TFLSV-BSUA	24	LightVerse Shuttered LC, Aqua, to MTP-F, Aqua, Standard Loss, OM4, Universal Polarity (U1), Base 12
LVM24TFLSV-BLUA	24	LightVerse Shuttered LC, Aqua, to MTP-F, Aqua, Ultra Low Loss, OM4, Universal Polarity (U1), Base 12
LVM24TFLSU-BSUA	24	LightVerse Shuttered LC, Blue, to MTP-F, Black, Standard Loss, SM, Universal Polarity (U1), Base 12
LVM24TFLSU-BLUA	24	LightVerse Shuttered LC, Blue, to MTP-F, Black, Ultra Low Loss, SM, Universal Polarity (U1), Base 12
LVM24EFLSV-BSUA	24	LightVerse Shuttered LC, Aqua, to MTP-F, Gray, Standard Loss, OM4, Universal Polarity (U1), Base 8
LVM24EFLSV-BLUA	24	LightVerse Shuttered LC, Aqua, to MTP-F, Gray, Ultra Low Loss, OM4, Universal Polarity (U1), Base 8
LVM24EFLSU-BSUA	24	LightVerse Shuttered LC, Blue, to MTP-F, Black, Standard Loss, SM, Universal Polarity (U1), Base 8
LVM24EFLSU-BLUA	24	LightVerse Shuttered LC, Blue, to MTP-F, Black, Ultra Low Loss, SM, Universal Polarity (U1), Base 8

LightVerse Splice Cassettes

Max quantity to ship in 5 days after received order: 12F - 100 pieces, 24F - 50 pieces


Siemon Base Part Number	Fiber Count	Description
LVS12-LSPVRAB1A	12	LightVerse Shuttered LC, Aqua, 900µm, OM4
LVS12-LSUARAB1A	12	LightVerse Shuttered LC, Blue, 900µm, SM
LVS24-LSPVRAB1A	24	LightVerse Shuttered LC, Aqua, 900µm, OM4
LVS24-LSUARAB1A	24	LightVerse Shuttered LC, Blue, 900µm, SM



BladePatch® LC-LC Duplex Jumpers

Max quantity to ship in 5 days after received order: 200 pieces


Siemon Base Part Number	Fiber Count	Fiber Type	Description
LBP-LCLC5V-01AQ	2	OM4	BladePatch LC-LC, Duplex, Aqua Jacket, Aqua Connector, Riser (OFNR), 1 meter
LBP-LCLC5V-02AQ	2	OM4	BladePatch LC-LC, Duplex, Aqua Jacket, Aqua Connector, Riser (OFNR), 2 meter
LBP-LCLC5V-03AQ	2	OM4	BladePatch LC-LC, Duplex, Aqua Jacket, Aqua Connector, Riser (OFNR), 3 meter
LBP-LCULCUL-01	2	OS2	BladePatch LC-LC, Duplex, Yellow Jacket, Blue Connector, Riser (OFNR), 1 meter
LBP-LCULCUL-02	2	OS2	BladePatch LC-LC, Duplex, Yellow Jacket, Blue Connector, Riser (OFNR), 2 meter
LBP-LCULCUL-03	2	OS2	BladePatch LC-LC, Duplex, Yellow Jacket, Blue Connector, Riser (OFNR), 3 meter



Duplex LC-LC Jumpers

Max quantity to ship in 5 days after received order: 200 pieces

Siemon Base Part Number	Fiber Count	Fiber Type	Description
FJ2-LCLC5V-01QQ	2	OM4	LC-LC, Duplex, Aqua Jacket, Aqua Connector, Riser (OFNR), 1 meter
FJ2-LCLC5V-02QQ	2	OM4	LC-LC, Duplex, Aqua Jacket, Aqua Connector, Riser (OFNR), 2 meter
FJ2-LCLC5V-03QQ	2	OM4	LC-LC, Duplex, Aqua Jacket, Aqua Connector, Riser (OFNR), 3 meter
FJ2-LCLC5V-05QQ	2	OM4	LC-LC, Duplex, Aqua Jacket, Aqua Connector, Riser (OFNR), 5 meter
FJ2-LCLC5V-10QQ	2	OM4	LC-LC, Duplex, Aqua Jacket, Aqua Connector, Riser (OFNR), 10 meter
FJ2-LCULCUL-01	2	OS2	LC-LC, Duplex, Yellow Jacket, Blue Connector, Riser (OFNR), 1 meter
FJ2-LCULCUL-02	2	OS2	LLC-LC, Duplex, Yellow Jacket, Blue Connector, Riser (OFNR), 2 meter
FJ2-LCULCUL-03	2	OS2	LC-LC, Duplex, Yellow Jacket, Blue Connector, Riser (OFNR), 3 meter
FJ2-LCULCUL-05	2	OS2	LC-LC, Duplex, Yellow Jacket, Blue Connector, Riser (OFNR), 5 meter
FJ2-LCULCUL-10	2	OS2	LC-LC, Duplex, Yellow Jacket, Blue Connector, Riser (OFNR), 10 meter



MTP-LC Equipment Cords

Max quantity to ship in 5 days after received order: 50 pieces

Siemon Base Part Number	Fiber Count	Fiber Type	Description
TL2NCVPF1(ZZ)(XXX)(Y)	8	OM4	MTP-LC BladePatch Equipment Cord, Plenum (OFNP)
TF2NCAPF1(ZZ)(XXX)(Y)	8	OS2	MTP-LC BladePatch Equipment Cord, Plenum (OFNP)

ZZ = LC Fiber Position: (LB) Reversed or (BL) Continuous
XXX = Length: in 3 digits. Ex. 003M = 3 meters, 010F = 10 feet
Y = (M) meters or (F) feet



Plug and Play Base-12 MTP-MTP Fiber Trunks

Base-12 MTP-MTP RazorCore™ Fiber trunks, Plenum
Max quantity to ship in 5 days after received order: 100 x MTP Connectors. Ex. 50 x 12F MTP-MTP Trunks or 25 x 24F MTP-MTP Trunks

F(X)(XX)(X)-(XX)P(XXX)(X)-(X)

Configuration
R = Standard Loss
L = Ultra Low Loss

Fiber Count
12 = 12
24 = 24
48 = 48*
96 = 96*
144 = 144*

Gender
Blank = Unpinned
M =Pinned** (recommended)

Fiber Type
5V = OM4, XGLO 550 50/125 Multimode, Aqua
SM = OS1/OS2, Singlemode, Yellow

Length
Must be 3 digits
Example: 003 = 3m
010 = 10ft

Length Unit
F = Feet
M = Meters

Polarity Method
A = Method A
B = Method B (recommended)
C = Method C



*Singlemode Only

**144 Fiber Count Trunks with Male MTP Connectors Please Use Following Configurator F(X)144M-(XX)P(XXX)(X)(X)*

Plug and Play Base-8 MTP-MTP Fiber Trunks

Base-8 MTP-MTP RazorCore Fiber trunks, Plenum
Max quantity to ship in 5 days after received order: 100 x MTP Connectors. Ex. 50 x 8F MTP-MTP trunks or 16 x 24F MTP-MTP trunks

G(X)(XXX)(X)(XX)P(XXX)(X)-(X)

Performance
R = Standard Loss
L = Ultra Low Loss

Fiber Count
8 = 8
16 = 16
24 = 24
48 = 48*
96 = 96*
144 = 144*


Gender
- = Unpinned
M = Pinned
(recommended)

Fiber Type
5V = OM4, XGLO 550 50/125 Multimode, Aqua
SM = OS1/OS2, Singlemode, Yellow

Length
Must be 3 digits
Example: 003 = 3m
010 = 10ft

Length Unit
F = Feet
M = Meters

Polarity Method
A = Method A
B = Method B (recommended)
C = Method C



*Singlemode Only

8F Base-8 MTP-MTP Jumpers using MTP PRO connectors

Base-8 MTP PRO-MTP PRO RazorCore Fiber Jumpers, 2mm (0.079 in.), Plenum
Max quantity to ship in 5 days after received order: 50 pieces

GJ(X)P(X)P(X)(X)-(XXX)(X)-(X)

Performance
S = Standard Loss
L = Low Loss

Fiber Type
V = OM4, XGLO 550 50/125 Multimode, Aqua
A = OS1/OS2, Singlemode, Yellow


Side A
M = Pinned
F = Unpinned (recommended)

Side B
M = Pinned
F = Unpinned (recommended)

Length
Must be 3 digits
Example: 003 = 3m
010 = 10ft

Length Unit
F = Feet
M = Meters

Polarity Method
A = Method A
B = Method B
C = Method C



LC to LC Fiber Trunks

LC Duplex to LC Duplex RazorCore Fiber Trunks, Plenum.
Max quantity to ship in 5 days after received order: 240 x Simplex Connectors. Ex. 10 x 12F LC-LC Trunks or 5 x 24F LC-LC Trunks

TFU(X)(X)(X)P(X)(X)(X)(X)(XXX)(X)

Fiber Count
C = 12
E = 24
G = 48*
J = 96*
K = 144*

Pulling Eye
A = Side A
B = Side B
C = Side A&B
D = None

Fiber Type
V = OM4, XGLO 550 50/125 Multimode, Aqua
A = OS1/OS2, Singlemode, Yellow

LEG Construction (Side A)
B = Duplex 2.0mm
C = Uni-Tube Duplex 2.4mm LC BladePatch Only

LEG Construction (Side B)
B = Duplex 2.0mm
C = Uni-Tube Duplex 2.4mm LC BladePatch Only


**Singlemode Only*

Connector Type (Side A)
A = LC Multimode
B = LC UPC Singlemode
C = LC APC Singlemode
D = LC BladePatch Multimode
E = LC BladePatch UPC Singlemode RFP Polarity

Connector Type (Side A)
A = LC Multimode
B = LC UPC Singlemode
C = LC APC Singlemode
D = LC BladePatch Multimode
E = LC BladePatch UPC Singlemode RFP Polarity

Length
Must be 3 digits
Example: 003 = 3m
010 = 10ft

Length Unit
F = Feet
M = Meters



Terms and Conditions

- *US, Canada and Mexico only.*
- *PO must be received by 2PM Eastern Time Zone.*
- *Standard freight policy applies.*
- *Ships within 5 days of booking of PO by Siemon customer service.*
- *Shipment can be drop-shipped directly to customer location (for US deliveries only).*
- *Targeted to ship max order quantities within 5 days after customer submits purchase order. Lead time may vary based on availability.Customer Service will advise lead times.*

Because we continuously improve our products, Siemon reserves the right to change specifications and availability without prior notice.

North America
P: (1) 860 945 4200

Asia Pacific
P: (61) 2 8977 7500

Latin America
P: (571) 657 1950/51/52

Europe
P: (44) 0 1932 571771

China
P: (86) 215385 0303

India, Middle East & Africa
P: (971) 4 3689743

Siemon Interconnect Solutions
P: (1) 860 945 4213
www.siemon.com/SIS

Mexico
P: (521) 556 387 7708/09/10

www.siemon.com

FLR_FiberNow_Global_H 09/23